
ecu.test

Product brochure



0

0

Ο

0

OC

SOFTWARE TESTING. SIMPLIFIED.

Software development is a complex process in which each new feature requires many test steps. The more complex the software, the more extensive testing is required.

ecu.test is our software for complex functional and system tests of ECU software. The tool is used to create test cases for automotive software in all development stages up to the final vehicle and to execute them automatically in different test environments.

Our customized solutions dynamically scale with test volume – from single-user systems to parallel execution on distributed test systems in internal clusters and public clouds.

Integration platform for flexible access to different test tools and test environments (MiL/SiL/HiL/ViL)

Orchestration of existing tool chains

Editor for easy creation of test cases across tool boundaries

Complete test environment automation, even on scaling systems

Test execution under Windows and Linux, desktop or containers (including Docker)

С

Cross-team collaboration via Diff and SCM (Git) integration

Synchronization, analysis and visualization of signal recordings from different sources



key features o


Test case execution in all stages of vehicle software development

Connection to ALM systems

 \bigcirc

HOW TESTING WORKS WITH ecu.test

It all starts with a requirement for a new, innovative driving function and ends with its release after successful testing.



Create test cases in GUI via

drag&drop

Ó

0

Ó

Ο

0

Combine multiple signal sources

 \mathbf{O}

O

Execute tests with multiple tools in all test domains (ADAS/AD, Infotainment, Powertrain)

Do diagnostics (without 3rd party tools)

Do calibration (without 3rd party tools)

> Analyze traces automatically and get individual reports

> > Share and reuse test cases

Customize your ecu.test (API, Python)


Review of test results Report with all data

from test execution

YOUR ADVANTAGES AT A GLANCE




Whether ARXML, A2L, DBC or ODX – ecu.test processes data in any common automotive format. It can also read image and audio data from the head unit, sensor data from ADAS systems, or touchscreen controls from handhelds.



Graphically guided test case creation


Once created, the generic test description makes test cases largely independent of the specific hardware and software of the test environments. This allows tests to be reused in a number of ways at different test levels (MiL, SiL, HiL, ViL) and test areas (Powertrain, Infotainment or ADAS).





Combines tools from different manufacturers

More than 80 tools can be connected via standardized access and fully integrated tool interfaces. The test case tool communication is completely abstracted to execute the same test case with different tools. ecu.test can also automate your in-house solutions.



ecu.test

masters test automation O

nits	Bus access	Media	access	Environ	ment	Report	Execution	Global constants			
		Applic	cation								
l		Port:	APL01								
ł		A2L:	File path \sim		ECU_D	Data\Eng	ine-Control.a	2			
		HEX:	None	~	<option< td=""><td>nal></td><td></td><td></td><th></th><td></td><td></td></option<>	nal>					
		Port:	nostics								
		ECU	ECU_Data\Engine_ECU1.odx-d								
		ECU variant:				[PROTOCOL] DoIP_ISO13400					
		Remot	te Party:	<emf< td=""><td colspan="4"><empty></empty></td></emf<>	<empty></empty>						
				1	Conne	ction set	tings [<emp< td=""><td>TY>]</td><th></th><td></td><td></td></emp<>	TY>]			

	Save value
d ▼ Ξ ▼ ≍ ▼ 以 回 s Test report	Comparison Time options
andby" and switch to "E" (4)	String Measurement: identical Case sensitivity
on Standby Select	

Hos	t / Tool / Port	Start	Alias
~ 1	ocal		
>	ETAS: INCA	If necessary	INCA
>	Vector: XL API	If necessary	CANoe
>	dSPACE: ControlDesk	If necessary	CONTROLDES
>	tracetronic: Multimedia D	If necessary	MULTIMEDIA
	A&D: iTest		
	ASAM: iLinkRT		
	ASAM: XIL		
	ASAP: STEP		
	AVL: LYNX		
	Basler: pylon		





High-performance signal analysis

For all E/E components and systems in the vehicle, signal curves can be recorded and evaluated over the duration of a test case. Multiple signals from different sources can be automatically synchronized.


1.5 0.00				
alysis Properties	lest report			
I connection				
Generic signal	Mapping	Mapping		
rerRequest	DriverRequest	DriverRequest ~		
ocityECU	VelocityECU	VelocityECU ~		
2	SOC	SOC		
	RecuperationECU		Interpreted (number)	

des	and trace steps					
#	Name	Generic signals				
1	🗸 📑 Neue Episode					
2	✓ i SoC behaviour					
3	> 😒 Driver Request > 0	Start: DriverRequest > 0 and VelocityECU > 1;				
6	> 🗵 Driver Request >= 50	Condition: DriverRequest >= 50				
9	✓ i Check Recuperation					
10	🗸 😨 Driver Request zero	Condition: DriverRequest == 0 and VelocityE				
11	✓	RecuperationECU == 1				
12	🛱 plot trigger range	PLOT: DriverRequest,RecuperationECU,Veloci				



Generates structured results

During the test procedure, all relevant data and resulting values are stored. This provides the basis for automatically generated test reports that are complete from the start and contain detailed information on each test step.



Is highly extensible


- 1. Everything in ecu.test is accessible via API.
- 2. The tool can be extended using Python.

This is perfect for your own solutions and extensions. You can quickly and easily customize ecu.test to your needs, both in test case development and trace analysis.

Editor			File	lext	
≫ւ	Jser_tool ×		2		
*	🗋 🕶 🕞 🖶 🛃 🎒 🗘	262	-		
Tools	s and ports		263		
Hos	t / Tool / Port	Start	264 E	3	def
~ 1	ocal		265		
-			266		
	A&D: iTest		267		
~	AdvancedExampleUserTool	If necessary	268		
	IMG-DEFAULT01 (IMAG	If necessary	269	-	
	ASAM: iLinkRT		270 271 E		def
	ASAM: XIL		272	1	uer
	ASAP: STEP		273		
	AVL: LYNX		274		
	Basler: pylon		275 276		
	Bertrandt: b.Generic		270		
	BMW: E-Sys		278		

ecu.test


masters test automation **O**



	Value	Expected value	Comment	Evaluation		Test time [s
						0.014
				FAILED		3.802
						3.802
				FAILED		3.806
	True for all test steps (Wait until true: 270 trials .	All TS		FAILED		3.807
	47.21	value > 50	Read the vehicle			3.807
	47.268	value > 50	Read the vehicle			3.807
	47.29	value > 50	Read the vehicle			3.807
						7.816
				SUCCES	S	7.819
Value				E	хрес	ted value
True for all test st	teps (Wait until true: 270 trials [4.007289 s])			A	ITS	

}
<pre>ReadImage(self) -> tuple[NDArray[Any], NDArray[Any] None]: """</pre>
Reads an image from e.g. an external source and makes it available a be implemented for a port of type 'IMAGE'. """
return selfcam.GetFrame(), None
<pre>GetTouchInput(self) -> ExampleTouchHandler: """</pre>
Returns an object that provides the interface for processing touch i this method we indicate to ecu.test that this port supports touch in be omitted if the port does not support touch input.
return ExampleTouchHandler(selfcam)

REASONS TO CHOOSE Becutest



Software defects are quickly identified because tests are repeatable and provide reliable results.



Test cases can be automatically executed anytime, anywhere because they are written to be used across all test systems and test domains.

Test cases can be developed iteratively and executed at any time because there is always a direct connection to the test system.

Teams distributed across the globe can easily work together, as workspaces, packages and libraries can be shared and reused.

Test throughput can be significantly increased by carrying out time-consuming analyses away from expensive test benches.

Test results can be reused in other systems, as they can be

converted into all formats.

New users can create test cases effortlessly because the GUI is user-friendly and the underlying tools are easily accessible.

Test steps can be reconstructed in detail because the structure of the automatically generated reports matches the test case structure.

Testing in heterogeneous test environments is possible without restrictions, since other (in-house) tools can be seamlessly integrated into existing systems via standardized API interfaces and Python scripts.



Data is always available and easy to share with teams because it is stored in XML format and managed in Git.

ecu.test

is always a good idea 🔶















RELEASES

We deliver four software releases per year, keeping all users informed of the latest features, enhancements, previews, and discontinuations.

As part of our incremental, agile development process, we provide numerous pre-release versions.



SUPPORT

We provide comprehensive technical and strategic support from all our locations:

- Initial setup
- General use of the software
- Problem analysis and solution
- (Best practices) advice
- Test system development
- Adapting test methods and strategies to your workflow

We can also customize your existing complex, dynamically scaled automation solutions in the cloud.


systems - from simple test cases to

atracetronic

tracetronic supports automotive manufacturers and suppliers in the development of highly complex automotive software with software products and customized services. The focus is on solutions for an automated test process in all phases of software development – from unit tests to integration tests in the vehicle.

tracetronic was founded in 2004 as a university start-up at the Technical University of Dresden and is now a global company. It currently employs over 400 professionals, students and trainees.

The tracetronic group is headquartered in Dresden, Germany, with additional offices in Munich, Ingolstadt, Stuttgart, Hamburg as well as in the USA, South Korea, Japan and China. Our products and solutions are used by more than 400 customers in over 30 countries worldwide, including Audi, BMW Group, Bosch, BYD, Mercedes, Stellantis, Valeo, Continental, Daimler, Ford, John Deere, Magna, Porsche, Rivian, Siemens and Volkswagen.



ENGINEERING

As an end-to-end solution provider, we develop continuous workflows to execute software tests in great detail and comprehensively, with a very high degree of automation.

